

IVR 4CH H.264



IVR

IVR 460S-C


MAIN FEATURES

- ☐ NVR 4CH
- ☐ Support IP Camera 720P,960P
- ☐ P2P remote access supported
- ☐ Max HDD 4TBx1
- ☐ Support Windows XP,Vista,7,8,8.1 Mac Os
- ☐ Support Thai Language and other
- ☐ 3G,Android,iPhone,iPad

IVR

Order information

IVR-460S-C



Dimension(mm) : 200(w)x50(h)x200(d)

Net.W : 1.6 kgws Gross. W : 1.7 kgws

Model		IVR-460S-C
Video	Input	4CH 720P
	Output	Max. 1920x1080
Audio	Input	1 HDMI with Audio and 1 VGA
	Output	1
System	Operating System	1 Embedded Linux OS
	SATA Devices	Support Max. 1 SATA Device (HDD x1)
	External HDD Sensor In (NO, NC)	n/a
	Relay out	n/a
	Serial Interface	n/a
	USB	USB2.0 x 2
	Dimension (mm)	200(w) x 50(h) x 200(d)
	Weight (w/o HDD/DVD±RW)	0.6 KG
	Power Supply	DC 12V 2A 24W
	Power Rating	Adapter 110/220V
Display	Split screen	1, 4, SEQ.
	Auto Channel Switching	Switching time : 1 ~ 99 sec
	Mode	Zoom (Digital x2~ x5), PIP, Auto SEQ.
Recording	Recording Throughput (60Hz /50Hz IP Camera)	1280 * 720 @ 30/25 fps
	Mode	Continuous, Event, Schedule
Playback	Search mode	Date/time, Event
	Snapshot	YES
Network	Network Interface	10/100 Ethernet
	Protocol	TCP/IP, SMTP, HTTP, DHCP, PPPoE(ADSL), NTP, DDNS, FTP, SMTP
	Onvif	Yes
	Remote Software	iWatch DVR2 App, IE Browser, iCMS
	Account	1 Admin + 10 Users
	Mobile	Windows Phone 7.8, iPhone, iPad, Android
Backup	Interface	USB 2.0
	Audio Backup	YES
	Backup Type	Network, Ext. USB flash device , SATA Optical DVD..etc
Alarm	Event Log	Up to the 10000 events
		(Sensor, Motion, video Loss, power on, remote login, logout, HDD error, HDD full)

IVR

Model		IVR 460S-C
OSD & DVR Control	GUI	32-bit True Color
	Multi-Language	Supported
	USB Mouse	YES
	Touch Panel	Touch Panel LCD Monitor (USB Interface, EETI Chipset Only)
	System Upgrade	USB Flash Drive, iWatch DVR