

IVR 16CH H.264



IVR

IVR-1680E-N


MAIN FEATURES

- ☐ NVR 16CH 1080P Onvif support
- ☐ Lan input 16Ch
- ☐ Video Output HDMI/VGA Max1920x1080
- ☐ Support Max 3 SATA
- ☐ 3G,iPhone,Android, Windowsxp,Vista,7,8,8.1
Mac OS 10.6 or above
- ☐ P2P Function

IVR

Order information

IVR-1680E-N



Dimension(mm) : 430(w)x55(h)x293(d)

Net.W: 3.50 kgws Gross. W: 3.75 kgws

Model		IVR-1680E-N
Video	Input	16CH 1080P
	Output	Max. 1920x1080 1 HDMI with Audio and 1 VGA
Audio	Input	1
	Output	1
System	Operating System	Embedded Linux OS
	SATA Devices	Max. 3 x SATA Devices (HDDx2+eSATAx1, HDDx1+Optical Devicex1+eSATAx1)
	External HDD	YES (eSATA)
	Sensor In (NO, NC)	Sensor-in x 16
	Relay Out	Relay-out x 2
	Serial Interface	RS-485
	USB 2.0 Ports	USB 2.0 x2 , USB 3.0 x1
	Dimension (mm)	430(w)x55(h)x293(d)
	Power Rating	DC 12V 5.83A 70W Adapter 110/220V
Display	Split Screen	1, 4, 9, 13, 16, SEQ.
	Auto Channel Switching	Switching time : 1 ~ 99 sec
	Mode	Zoom (Digital x2~ x5), PIP, Auto SEQ.
Recording	Recording Throughput (60Hz /50Hz IP Camera)	1280 * 720 @ 30/25 fps 1920 * 1080 @ 30/25 fps
	Mode	Continuous, Event, Schedule
Playback	Search Mode	Date/time, Event
	Zoom	*Digital (x2 ~ x5)
Network	Network Interface	10/100/1000 Ethernet
	Protocol	TCP/IP, SMTP, HTTP, DHCP, PPPoE(ADSL), NTP, DDNS, FTP, SMTP
	Onvif	YES
	Remote Software	iWatch DVR, IE Browser, iCMS
	Account	1 Admin + 10 Users
	Mobile Device	Windows Phone, iPhone, iPad, Android
Backup	Interface	USB 2.0
	Audio Backup	YES
	Backup Type	Network, Ext. USB flash device , SATA optical DVD..etc

IVR

Model		IVR 1680E-N
Backup	Backup Type	Network, Ext. USB flash device , SATA optical DVD..etc
Alarm	Event Log	Up to the 10000 events
		(Sensor, Motion, video Loss, power on, remote-
		login, logout, HDD error, HDD full)
OSD & DVR Control	Multi-Language	Supported
	Touch Panel	Touch Panel LCD Monitor
		(USB Interface, EETI Chipset Only)
	System Upgrade	USB Flash Drive, iWatch DVR